Forest Ecology and Management, 46 (1991) 313–314
Elsevier Science Publishers B.V., Amsterdam

Author Index

Bergmann, F. (Gottingen, FRG) and Ruetz, W. (Teisendorf, FRG)
Isozyme genetic variation and heterozygosity in random tree samples and selected orchard clones from the same Norway spruce populations 39
Betters, D.R., *see* Donnelly, D.M. and Betters, D.R.
Bormann, F.H., *see* Wang, D. et al.
Bowden, R.D., *see* Wang, D. et al.
Brandino, Z., *see* Uhl, C. et al.
Brown, A.H.F., *see* Cape, J.N. et al.
Buford, M.A. (Charleston, SC, USA)
Performance of four yield models for predicting stand dynamics of a 30-year-old loblolly pine (*Pinus taeda* L.) spacing study 23
Cape, J.N. (Penicuik, UK), Brown, A.H.F., Robertson, S.M.C. and Howson, G. (Grange-over-Sands, UK) and Paterson, I.S. (Banchory, UK)
Interspecies comparisons of throughfall and stemflow at three sites in northern Britain 165
Cattelino, P.J., *see* Jones, E.A. et al.
Cornejo-Oviedo, E.H., Meyer, J.M. and Felker, P. (Kingsville, TX, USA)
Thinning dense sapling stands of mesquite (*Prosopis glandulosa* var. *glandulosa*) to optimize timber production and pasture improvement 189
DeGraaf, R.M. and Snyder, D.P. (Amherst, MA, USA) and Hill, B.J. (Amboy, WA, USA)
Small mammal habitat associations in poletimber and sawtimber stands of four forest cover types 227
Donnelly, D.M. and Betters, D.R. (Fort Collins, CO, USA)
Optimal control for scheduling final harvest in even-aged forest stands 135
Felker, P., *see* Cornejo-Oviedo, E.H. et al.
Hill, B.J., *see* DeGraaf, R.M. et al.
Howson, G., *see* Cape, J.N. et al.
Jones, E.A., Reed, D.D., Cattelino, P.J. and Mroz, G.D. (Houghton, MI, USA)
Seasonal shoot growth of planted red pine predicted from air temperature degree days and soil water potential 201
Joyce, G.D., *see* Knight, D.H. et al.
Kalisz, P.J., *see* Stone, E.L. and Kalisz, P.J.
Kasenene, J.M. (Kampala, Uganda) and Murphy, P.G. (East Lansing, MI, USA)
Post-logging tree mortality and major branch losses in Kibale Forest, Uganda 295
Kimmins, J.P., *see* Messier, C. and Kimmins, J.P.
Knight, D.H., Yavitt, J.B. and Joyce, G.D. (Laramie, WY, USA)
Water and nitrogen outflow from lodgepole pine forest after two levels of tree mortality 215
Kuuluvainen, T. (Helsinki, Finland)
Long-term development of needle mass, radiation interception and stemwood production in naturally regenerated *Pinus sylvestris* stands on *Empertrum–Vaccinium* site type in the northern boreal zone in Finland: an analysis based on an . 103

Lugo, A.E., *see* Wang, D. et al.
Lundqvist, L. (Umeå, Sweden)
Some notes on the regeneration of Norway spruce on six permanent plots managed with single-tree selection 49
Mattos, M.M., *see* Uhl, C. et al.
McLaughlin, S.B., *see* Walker, R.F. and McLaughlin, S.B.
Messier, C. and Kimmins, J.P. (Vancouver, B.C., Canada)
Above- and below-ground vegetation recovery in recently clearcut and burned sites dominated by *Gaultheria shallon* in coastal British Columbia 275
Meyer, J.M., *see* Cornejo-Oviedo, E.H. et al.
Mroz, G.D., *see* Jones, E.A. et al.
Murphy, P.G., *see* Kasenene, J.M. and Murphy, P.G.
Paterson, I.S., *see* Cape, J.N. et al.
Reed, D.D., *see* Jones, E.A. et al.
Robertson, S.M.C., *see* Cape, J.N. et al.
Ruetz, W., *see* Bergmann, F. and Ruetz, W.
Snyder, D.P., *see* DeGraaf, R.M. et al.
Stone, E.L. (Gainesville, FL, USA) and Kalisz, P.J. (Lexington, KY, USA)
On the maximum extent of tree roots 59
Uhl, C. (University Park, PA, USA), Verissimo, A., Mattos, M.M., Brandino, Z. and Vieira, I.C.G. (Pará, Brazil)
Social, economic, and ecological consequences of selective logging in an Amazon froniter: the case of Tailandia 243
Verissimo, A., *see* Uhl, C. et al.
Vieira, I.C.G., *see* Uhl, C. et al.
Walker, R.F. (Reno, NV, USA) and McLaughlin, S.B. (Oak Ridge, TN, USA)
Growth and root system development of white oak and loblolly pine as affected by simulated acidic precipitation and ectomycorrhizal inoculation 123
Wang, D. (Burlington, VT, USA), Bormann, F.H. (New Haven, CT, USA), Lugo, A.E. (Rio Piedras, PR, USA) and Bowden, R.D. (Woods Hole, MA, USA)
Comparison of nutrient-use efficiency and biomass production in five tropical tree taxa 1
Yavitt, J.B., *see* Knight, D.H. et al.
Zeide, B. (Monticello, AR, USA)
Fractal geometry in forestry applications 179

Forest Ecology and Management, 46 (1991) 315–317
Elsevier Science Publishers B.V., Amsterdam

Subject Index

Acid rain
Growth and root system development of white oak and loblolly pine as affected by simulated acidic precipitation and ectomycorrhizal inoculation 123
Air temperature
Seasonal shoot growth of planted red pine predicted from air temperature degree days and soil water potential 201
Biomass
Comparison of nutrient-use efficiency and biomass production in five tropical tree taxa 1
Ecological consequences
Social, economic, and ecological consequences of selective logging in an Amazon frontier: the case of Tailandia 243
Empertrum–Vaccinium site
Long-term development of needle mass, radiation interception and stemwood production in naturally regenerated *Pinus sylvestris* stands on *Empertrum–Vaccinium* site type in the northern boreal zone in Finland: an analysis based on an . 103
Fractal geometry
Fractal geometry in forestry applications 79
Gaultheria
Above- and below-ground vegetation recovery in recently clearcut and burned sites dominated by *Gaultheria shallon* in coastal British Columbia 275
Genetic variation
Isozyme genetic variation and heterozygosity in random tree samples and selected orchard clones from the same Norway spruce populations 39
Harvest
Optimal control for scheduling final harvest in even-aged forest stands 135
Heterozygosity
Isozyme genetic variation and heterozygosity in random tree samples and selected orchard clones from the same Norway spruce populations 39
Inoculation
Growth and root system development of white oak and loblolly pine as affected by simulated acidic precipitation and ectomycorrhizal inoculation 123
Larix
Interspecies comparisons of throughfall and stemflow at three sites in northern Britain 165
Logging
Post-logging tree mortality and major branch losses in Kibale Forest, Uganda 295
Social, economic, and ecological consequences of selective logging in an Amazon frontier: the case of Tailandia 243
Mammals
Small mammal habitat associations in poletimber and sawtimber stands of four forest cover types 227
Mortality
Post-logging tree mortality and major branch losses in Kibale Forest, Uganda 295

Needle mass
Long-term development of needle mass, radiation interception and stemwood production in naturally regenerated *Pinus sylvestris* stands on *Empertrum–Vaccinium* site type in the northern boreal zone in Finland: an analysis based on an . 103
Nitrogen
Water and nitrogen outflow from lodgepole pine forest after two levels of tree mortality 215
Nutrients
Comparison of nutrient-use efficiency and biomass production in five tropical tree taxa 1
Optimal control theory
Optimal control for scheduling final harvest in even-aged forest stands 135
Picea
Interspecies comparisons of throughfall and stemflow at three sites in northern Britain 165
Isozyme genetic variation and heterozygosity in random tree samples and selected orchard clones from the same Norway spruce populations 39
Some notes on the regeneration of Norway spruce on six permanent plots managed with single-tree selection 49
Pinus
Growth and root system development of white oak and loblolly pine as affected by simulated acidic precipitation and ectomycorrhizal inoculation 123
Interspecies comparisons of throughfall and stemflow at three sites in northern Britain 165
Long-term development of needle mass, radiation interception and stemwood production in naturally regenerated *Pinus sylvestris* stands on *Empertrum–Vaccinium* site type in the northern boreal zone in Finland: an analysis based on an . 103
Performance of four yield models for predicting stand dynamics of a 30-year-old loblolly pine (*Pinus taeda* L.) spacing study 23
Seasonal shoot growth of planted red pine predicted from air temperature degree days and soil water potential 201
Water and nitrogen outflow from lodgepole pine forest after two levels of tree mortality 215
Precipitation
Growth and root system development of white oak and loblolly pine as affected by simulated acidic precipitation and ectomycorrhizal inoculation 123
Prosopis
Thinning dense sapling stands of mesquite (*Prosopis glandulosa* var. *glandulosa*) to optimize timber production and pasture improvement 189
Quercus
Growth and root system development of white oak and loblolly pine as affected by simulated acidic precipitation and ectomycorrhizal inoculation 123
Interspecies comparisons of throughfall and stemflow at three sites in northern Britain 165
Radiation
Long-term development of needle mass, radiation interception and stemwood production in naturally regenerated *Pinus sylvestris* stands on *Empertrum–Vaccinium* site type in the northern boreal zone in Finland: an analysis based on an . 103
Recovery
Above- and below-ground vegetation recovery in recently clearcut and burned sites dominated by *Gaultheria shallon* in coastal British Columbia 275
Regeneration
Some notes on the regeneration of Norway spruce on six permanent plots managed with single-tree selection 49

Roots
Growth and root system development of white oak and loblolly pine as affected by simulated acidic precipitation and ectomycorrhizal inoculation 123
On the maximum extent of tree roots 59
Shoot growth
Seasonal shoot growth of planted red pine predicted from air temperature degree days and soil water potential 201
Social consequences
Social, economic, and ecological consequences of selective logging in an Amazon frontier: the case of Tailandia 243
Soil water
Seasonal shoot growth of planted red pine predicted from air temperature degree days and soil water potential 201
Spacing
Performance of four yield models for predicting stand dynamics of a 30-year-old loblolly pine (*Pinus taeda* L.) spacing study 23
Spruce
Isozyme genetic variation and heterozygosity in random tree samples and selected orchard clones from the same Norway spruce populations 39
Some notes on the regeneration of Norway spruce on six permanent plots managed with single-tree selection 49
Stand dynamics
Performance of four yield models for predicting stand dynamics of a 30-year-old loblolly pine (*Pinus taeda* L.) spacing study 23
Stemflow
Interspecies comparisons of throughfall and stemflow at three sites in northern Britain 165
Stemwood production
Long-term development of needle mass, radiation interception and stemwood production in naturally regenerated *Pinus sylvestris* stands on *Empertrum–Vaccinium* site type in the northern boreal zone in Finland: an analysis based on an . 103
Thinning
Thinning dense sapling stands of mesquite (*Prosopis glandulosa* var. *glandulosa*) to optimize timber production and pasture improvement 189
Water and nitrogen outflow from lodgepole pine forest after two levels of tree mortality 215
Throughfall
Interspecies comparisons of throughfall and stemflow at three sites in northern Britain 165
Timber
Small mammal habitat associations in poletimber and sawtimber stands of four forest cover types 227
Thinning dense sapling stands of mesquite (*Prosopis glandulosa* var. *glandulosa*) to optimize timber production and pasture improvement 189
Tropical trees
Comparison of nutrient-use efficiency and biomass production in five tropical tree taxa 1
Water
Water and nitrogen outflow from lodgepole pine forest after two levels of tree mortality 215